

DOCUMENT TYPE:	**POD**
DOCUMENT ID #:	**21-100736**
REVISION:	**A-000**
DOCUMENT TITLE:	**PACKAGE OUTLINE, 28L, SSOP 300mil**
EFFECTIVE DATE:	**10/15/2023**
EXPIRATION DATE:	
CHANGE NUMBER:	**1196434**
ORIGINATOR:	**Aurelio Giron Jr.**

REASON FOR CHANGE:
INITIAL RELEASED




TOP VIEW

COMMON DIMENSIONS				
SYMBOL	INCHS		MM	
	MIN.	MAX.	MIN.	MAX.
A	.093	.104	2.35	2.65
A1	.004	.010	0.10	0.25
b	.010	.016	0.25	0.40
C	.009	.013	0.23	0.32
D	.400	.411	10.15	10.45
E1	.291	.299	7.40	7.60
E	.396	.415	10.05	10.55
e	.0256 BSC		0.65 BSC	
L	.016	.050	0.40	1.27
h	.010	.030	0.25	0.75
N	28			



SIDE VIEW



NOTES:

1. ALL DIMENSION ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
2. DIMENSION D DOES NOT INCLUDE MOLD FLASH, PROTRUSIONS OR GATE BURRS. MOLD FLASH, PROTRUSIONS OR GATE BURRS SHALL NOT EXCEED .006in (0.15mm) PER END.
3. DIMENSION E1 DOES NOT INCLUDE INTERLEAD FLASH OR PROTRUSION. INTERLEAD FLASH OR PROTRUSION SHALL NOT EXCEED .010in (0.25mm) PER SIDE.
4. DIMENSION b DOES NOT INCLUDE DAM BAR PROTRUSION. ALLOWABLE DAM BAR PROTRUSION SHALL BD .005in (0.127mm) TOTAL IN EXCESS OF THE b DIMENSION AT MAXIMUM MATERIAL CONDITION.
5. N = NUMBER OF PINS.
6. ALL DIMENSIONS APPLY TO BOTH LEADED (−) AND PbFREE (+) PKG. CODES.
7. PACHAGE CODE: A28MS+6C, A28MS+6.

−DRAWING NOT TO SCALE−

ANALOG DEVICES

TITLE:
PACKAGE OUTLINE, 28L, SSOP 300mil

APPROVAL	DOCUMENT CONTROL NO.	REV.	
CHUCK XIA	21-100736	A	1/1

REVISION HISTORY

REV	CHANGES MADE	DATE	INIT.
A	CN 1196434. INITIAL RELEASED	10/15/23	AG

TITLE: PACKAGE OUTLINE, 28L, SSOP 300mil		
DOCUMENT I.D. 21-100736	**REVISION** A	**PAGE** 2

ANALOG DEVICES